

bring learning to life™



# meet ēno™

the next-generation interactive whiteboard

*family of products*

PolyVision®

a steelcase company

# ēno™

## one whiteboard

The three-in-one ēno interactive whiteboard helps bridge the gap between today's students and today's teachers with three levels of classroom performance.

### 1 traditional dry-erase

Write on ēno all day long. Erase it with ease (and you can't damage the surface).



### 2 magnetic ceramicsteel

Give students manipulatives for time-tested problem-solving. It's OK—ēno is tougher than magnets (and kids).



### 3 interactive performance

Add a stylus, computer and projector. Fire up your favourite software or browser. And ēno is instantly interactive.



## and...

### environmental friendly

ēno is the first interactive board with a Cradle to Cradle™ Silver certificate. The lifetime warranty on the writing surface and its virtually indestructible functionality makes ēno the most environmental friendly choice.

The PolyVision e<sup>3</sup> environmental ceramicsteel™ surface is the first ecological surface for marker & chalk boards for visual communication.



# ēno™ mini

## ēno goes mobile

Get interactive whiteboard power right in your hands. ēno mini lets you create and deliver engaging lessons from anywhere in the classroom.



ēno mini is the mobile companion to the ēno interactive whiteboard and offers all the same features, benefits and environmental certifications, but provides even more flexibility. Teachers can magnetically detach ēno mini from a ceramicsteel surface and move freely about the room.

Using the same revolutionary Bluetooth®-enabled stylus, teachers and students can effortlessly collaborate on lessons by simultaneously using up to three styluses on ēno mini slates and ēno interactive whiteboards.

Even without an interactive whiteboard, ēno mini can transform any classroom with a projector and computer into a dynamic and interactive learning environment.

#### Dimensions

HxL	194,33 mm x 286,18 mm
Depth	27,34 mm
Weight	467 g



## only ēno

Teachers can use ēno right out of the box with familiar programs such as Microsoft® PowerPoint® or a web browser.


Next, teachers can ramp up their tried-and-true lesson plans with powerful subject-specific content tools including number lines, graphs, maps, calipers, timers and more. In no time, teachers can move from markers to multimedia, from ink to internet, without missing a beat.

### So do the math ...

+ traditional whiteboard  
+ interactive performance  
- cords, cables, costly installation  


---

= ēno



# ēno flex series ēno™ dynamic

## Aesthetics, functionality, technology ... all in one

How to combine traditional ways of teaching with modern technology in a high tech environment? With the ēno dynamic solution you can perfectly integrate a traditional writing surface (chalk- or marker writing) with an ēno interactive whiteboard. The concealed rail at the top of the system allows you to move the sliding board smoothly from left to right. The ēno interactive whiteboard can be uncovered or covered in an instance, giving immediate access to modern ways of teaching and learning. The traditional writing boards and the ēno interactive whiteboard are integrated in full harmony and the aesthetical aspect has been taken into account as well. As such the product adds not only functional value to the space where it's mounted.



Type ēno dynamic	height	width sliding board	total width
2620-01	1214 mm	1608 mm	3216 mm
2620-02	1214 mm	1680 mm (2 x)	4824 mm
2820-01	1214 mm	2141 mm	4282 mm
2820-02	1214 mm	2141 mm (2 x)	6425 mm



## FS ēno triple board

The perfect marriage ...  
interactive technology in a traditional system



Switching from traditional and proven skills and tools towards new technology is often a difficult choice, especially if some of the features and advantages are threatened to be lost when the transfer is actually made.

That's where the ēno interactive whiteboard integrated in a traditional triple board offers the perfect combination.

The interactive ēno surface can be freely used in the traditional way but can instantly be switched into a modern interactive whiteboard surface. Both wings that can be finished with any available ceramicsteel writing surface, offer additional working space and can conceal the interactive surface when not used.

## ēno height adjustable system

Give your ēno board a lift

Combine your ēno interactive whiteboard with a height-adjustable mount to accommodate the needs of both teacher and student. Now everyone can access the board by simply raising or lowering it to a comfortable level.

The wall mountable solution that we offer is available for both sizes of ēno interactive boards (ēno 2610 and ēno 2810) as well as for the FS ēno triple board combinations. The spring system allows for smooth operation and 50 cm of height-adjustability when moving the board. Two sizes of universal projector booms fit virtually all popular short and ultra short throw projectors.



## FS ēno in the middle

Interactivity ... in the centre, just where you want it

Integrating the ēno interactive board and surrounding it with additional functional side panels is exactly what so many teachers want. With the free optional choice to add addition



writing board surfaces the interactive whiteboard itself can become a fully integrated part of a dynamic lesson.

A unique combination of surfaces that can be used simultaneously is a tremendous advantage in a modern classroom environment.

Make learning inclusive. The availability of multiple writing surfaces in combination with an interactive area support any teaching / learning style, high tech traditional or a combination of both.

# ēno™ click

Installs in an instant



ēno click offers the same features, benefits and environmental certifications of the ēno interactive whiteboard, but makes installation a snap.

With the magnetic-mounting hardware and no cords or cables to manage, ēno click mounts instantly over an existing ceramicsteel chalkboard, whiteboard or any other steel surface. Need to move the board?

No problem, ēno click removes just as easily as it installs so you can use in another area of the room or another classroom down the hall.

With all the technical components consolidated into a revolutionary Bluetooth®-enabled stylus, ēno click is virtually maintenance-free.

	ēno 2650	ēno 2850
HxW	1108mm x 1638mm	1108mm x 2171mm
Diagonal	1905mm (75")	2362mm (93")
Depth	27.3mm	27.3mm
Weight	18.6 kg	24.6 kg

### Our UK distributor

### AK AV DISTRIBUTION

■ ■ fast, efficient and  
■ reliable

**Anders + Kern UK Ltd**  
Norderstedt House  
James Carter Road  
Mildenhall  
Suffolk  
IP28 7RQ

**PolyVision NV**  
Zuiderring 56  
B-3600 Genk  
Tel. +32 89 32 31 30  
Fax +32 89 32 31 31



eVision™ PolyVision is committed to move toward sustainability in all areas of environmental stewardship—to protect people, replenish natural resources, and restore the communities in which we work and live.

©2009 PolyVision Corporation. All rights reserved. Trademarks used herein are the property of PolyVision Corporation or of their respective owners. PolyVision Corporation reserves the right to make changes in product design, construction or detail, and to discontinue any product or material without notice.